

H - Profil aus GFK

H-Profil, mm			Widerstandsmoment, mm ³		Trägheitsmoment, mm ⁴	
a	b	c	W _a	W _b	I _a	I _b
6,7	40	1,8	271	32	908	108
30	10	4	1145	1201	17176	18011
38	25	10x3	4814	5454	91465	103625
39	25	4	3664	2033	71447	39637
40	10	4x5	1984	200	39680	1000
40	16	4	2928	2135	52565	42709
40	40	2,5	3967	1336	79349	26712
40	40	5	6729	2682	134583	23646
43	82	4	12307	8970	264610	367765
45	40	2,5	4611	1336	103750	26719
50	40	2,5	5276	1336	131901	26725
100	50	5	28658	4204	1432917	105104
120	60	6	49522	7265	2971296	217944
150	75	6	79764	11316	5982336	424359
150	75	8	102129	15152	7659669	568217
150	150	10	220744	75144	16555833	5,64E+06
200	100	6	146167	133348	14616736	1,33E+007
200	100	10	409933	33633	40993333	1,68E+06
200	200	15	575913	200478	57591250	2,00E+07
300	150	12	638116	90338	95717376	6,78E+06
300	300	13	1220096	390334	183014459	58550165

