

## Winkel aus GFK

L-Profil, mm			Widerstandsmoment, mm <sup>3</sup>		Trägheitsmoment, mm <sup>4</sup>	
a	b	c	W <sub>a</sub>	W <sub>b</sub>	I <sub>a</sub>	I <sub>b</sub>
10	10	2,5	56	56	368	368
15	15	2,5	134	134	1385	1385
15	15	5	238	238	2260	2260
19	16	2	177	129	2317	1502
20	20	3	290	290	4030	4030
25	15	4	549	214	2295	8635
25,4	16	3	433	191	7040	2248
25	25	3	465	321	8204	5788
30	20	4	640	306	12721	4551
30	25	8	1540	1100	29229	18119
30	30	3	681	681	14580	14580
30	30	5	1072	1072	22164	22164
30	30	6	1251	1251	25452	25452
34	29,5	4	882	898	18554	19300
35	35	5	1488	1488	36350	36350
40	20	2	758	219	19641	3481
40	20	4	1441	406	36230	6150
40	26	6	2161	977	55480	18240
40	40	3	1240	1240	35818	35818
40	40	4	1615	1615	46081	46081
40	40	5	1974	1974	55615	55615
40	40	8	2967	2967	80441	80441
43	35	5	2229	1531	65337	38757
50	20	3	1689	322	52307	5147
50	35	3	1863	984	63649	26231
50	50	3	1965	1965	71494	71494
50	50	5	3155	3155	112503	112506
50	50	6	3719	3719	131258	131258
60	40	6	5118	2446	203537	72817
60	60	3	2856	2856	125356	125356
60	60	6	5452	5452	233286	233286
75	75	6	8677	8677	468827	468827
80	45	6	9056	3198	472061	110738
80	80	8	12923	12923	737298	737298
90	90	3 R=40	6531	6531	433570	433570
95	25	2 R=25	3942	365	222988	7878
100	50	8	18381	5521	1169150	201546
100	65	10	10765	23594	5,22E+05	1556465
100	80	8	13313	19902	788912	1378352
100	100	5	13225	13225	967256	967256
100	100	6	15719	15719	1,14E+006	1,14E+006
100	100	8	20568	20568	1,48E+06	1,48E+006
100	100	10	25240	25240	1,80E+06	1,80E+006
150	150	12	69415	69415	7501234	7501234
250	30	3	36642	811	5021322	21932
300	30	3	51699	819	8388810	22316

