

## Winkel aus GFK

L-Profile, mm			Widerstandsmoment, mm <sup>3</sup>		Trägheitsmoment, mm <sup>4</sup>	
a	b	c	W <sub>a</sub>	W <sub>b</sub>	I <sub>a</sub>	I <sub>b</sub>
15	15	2,5	134	134	1385	1385
19	16	2	177	129	2317	1502
20	20	3	290	290	4030	4030
25	16	3	433	191	7040	2248
25	25	3	465	321	8204	5788
30	20	3	640	306	12721	4551
30	25	8	1540	1100	29229	18119
30	30	3	681	681	14580	14580
30	30	5	1072	1072	22164	22164
34	30	4	882	898	18554	19300
35	35	5	1488	1488	36350	36350
40	20	2	758	219	19641	3481
40	20	4	1441	406	36230	6150
40	40	3	1240	1240	35818	35818
40	40	4	1615	1615	46081	46081
40	40	5	1974	1974	55615	55615
40	40	8	2967	2967	80441	80441
43	35	5	2229	1531	65337	38757
50	20	3	1689	322	52307	5147
50	25	3	1759	505	56611	9936
50	35	3	1863	984	63649	26231
50	50	3	1965	1965	71494	71494
50	50	5	3155	3155	112503	112506
50	50	6	3719	3719	131258	131258
60	40	6	5118	2446	203537	72817
60	60	3	2856	2856	125356	125356
60	60	6	5452	5452	233286	233286
63	25	3	2715	516	106587	10447
64	35	3	2968	1010	125144	27936
64	55	3	3191	2438	145719	100386
75	75	6	8677	8677	468827	468827
80	45	6	9056	3198	472061	110738
80	80	8	12923	12923	737298	737298
90	90	3 R=37	6531	6531	433570	433570
95	25	2 R=25	3942	365	222988	7878
100	50	8	18381	5521	1,17E+06	201546
100	80	2,5 R=45	6563	4434	467848	271754
100	100	5	13225	13225	967256	967256
100	100	6	15719	15719	1,14E+006	1,14E+006
100	100	8	20568	20568	1,48E+06	1,48E+06
100	100	10	25240	25240	1,80E+06	1,80E+06

