


KV



SD



KV





SD



P




PSD



PT1




PT2




PSD







	300 mm	450 mm	600 mm	750 mm	900 mm	1000 mm	1200 mm
ISO 14 14x14	191	84	47	31	21	17	12
ISO 15	195	87	49	31	21	17	12
ISO 25	1.010	445	250	159	110	90	62
ISO 25 13x13	1.030	450	255	163	113	91	64
ISO 25 90x18	394	174	97	62	43	35	25
ISO 25 76x76	486	214	120	77	53	43	30
ISO 25 92x19	480	212	118	76	53	43	30
ISO 30	1.740	770	430	275	191	154	107
ISO 30 14x14	1.760	780	437	279	193	156	108
ISO 30 8x8	1.989	878	492	314	218	176	122
ISO 30 93x18	741	327	183	117	81	66	46
ISO 30 SWL	2.837	1.252	702	448	311	251	174
ISO 30 92x19	830	366	205	131	91	74	51
ISO 35 SWL	4.506	1.989	1.115	712	493	399	276
ISO 38	3.500	1.550	870	560	387	314	218
ISO 38 14x14	3.570	1.570	880	564	391	316	219
ISO 38 98x17	1.686	744	417	266	184	149	104
ISO 38 144x30	1.073	473	265	169	117	95	66
ISO 40 76x76	1.993	879	493	314	218	176	123
ISO 50	6.812	3.007	1.685	1.076	746	604	419
ISO 50 SWL	13.474	5.948	3.334	2.129	1.476	1.195	829
ISO 60 SWL	23.284	10.278	5.761	3.679	2.551	2.065	1.433
P 15	214	95	53	34	23	18	13
P 25	1.111	489	275	174	121	99	68
P 30	1.914	847	473	302	210	169	117
P 38	3.850	1.705	957	616	425	345	239
P 50	7.493	3.307	1.853	1.183	820	664	460
RP 30x10x14,5	1.600	1.045	512	335	240	193	136
RP 30x10x20	1.300	888	493	305	204	136	115
RP 30x10x30	1.035	523	319	209	146	120	84
RP 38x10x30	3.400	2.750	1.503	975	674	550	387
RP 38x25x20	3.600	2.853	1.710	1.025	705	612	403
RP 60x30x30	6.556	3.978	2.243	1.658	1.152	1.056	745




	300 mm	450 mm	600 mm	750 mm	900 mm	1000 mm	1200 mm
ISO 14 14x14	1.021	300	126	65	38	28	16
ISO 15	1.050	310	130	66	38	28	16
ISO 25	5.280	1.570	660	340	196	143	83
ISO 25 13x13	5.400	1.610	680	346	200	146	85
ISO 25 90x18	2.104	619	260	133	77	56	33
ISO 25 76x76	2.595	763	321	164	95	69	40
ISO 25 92x19	2.560	753	316	161	93	68	39
ISO 30	9.300	2.730	1.150	585	340	247	143
ISO 30 14x14	9.420	2.774	1.166	595	344	250	145
ISO 30 8x8	10.610	3.120	1.310	670	386	282	163
ISO 30 93x18	3.952	1.163	489	249	144	105	61
ISO 30 SWL	15.135	4.453	1.872	956	552	402	232
ISO 30 92x19	4.426	1.302	547	279	161	118	68
ISO 35 SWL	24.034	7.072	2.973	1.519	878	639	369
ISO 38	18.600	5.500	2.340	1.190	690	503	290
ISO 38 14x14	19.042	5.600	2.350	1.203	695	506	292
ISO 38 98x17	8.996	2.647	1.113	568	328	239	138
ISO 38 144x30	5.725	1.684	708	361	209	152	88
ISO 40 76x76	10.629	3.128	1.310	671	388	282	163
ISO 50	36.332	10.691	4.495	2.296	1.327	966	559
ISO 50 SWL	71.866	21.148	8.891	4.543	2.625	1.912	1.105
ISO 60 SWL	124.185	36.545	15.364	7.850	4.536	3.305	1.910
P 15	1.155	341	143	72	41	30	17
P 25	5.808	1.727	726	374	215	157	91
P 30	10.230	3.003	1.265	643	374	271	157
P 38	20.460	6.050	2.574	1.309	759	553	319
P 50	39.965	11.760	4.944	2.525	1.459	1.062	614
RP 30x10x14,5	21.000	13.052	4.269	2.289	1.322	972	564
RP 30x10x20	20.500	11.046	3.658	1.887	1.118	836	581
RP 30x10x30	17.180	5.758	2.628	1.369	815	601	350
RP 38x10x30	18.300	9.750	4.005	2.062	1.203	875	512
RP 38x25x20	19.500	10.500	4.432	2.345	1.454	907	618
RP 60x30x30	156.924	34.898	19.287	8.946	6.121	4.254	2.735






ISO 14
14x14



300 mm	191 kg	2 x F	1.021 kg/m ²	3 x q
450 mm	84 kg	3 x F	300 kg/m ²	4 x q
600 mm	47 kg	4 x F	126 kg/m ²	5 x q
750 mm	31 kg	5 x F	65 kg/m ²	7 x q
900 mm	21 kg	6 x F	38 kg/m ²	8 x q
1.000 mm	17 kg	7 x F	28 kg/m ²	9 x q
1.200 mm	12 kg	8 x F	16 kg/m ²	10 x q
L/125 = 0,75%				

L (mm)	B (mm)	kg/m ²
4.047	1.247	10,5
B x L = ? →		





ISO 15



300 mm	195 kg	2 x F	1.050 kg/m ²	3 x q
450 mm	87 kg	3 x F	310 kg/m ²	4 x q
600 mm	49 kg	4 x F	130 kg/m ²	5 x q
750 mm	31 kg	5 x F	66 kg/m ²	7 x q
900 mm	21 kg	6 x F	38 kg/m ²	8 x q
1.000 mm	17 kg	7 x F	28 kg/m ²	9 x q
1.200 mm	12 kg	8 x F	16 kg/m ²	10 x q
L/125 = 0,75%				

L (mm)	B (mm)	kg/m ²
4.000	1.220	5,5
3.660	1.220	5,5
1.990	1.020	5,5
B x L = ? →		



ISO 25




300 mm	1.010 kg	2 x F	5.280 kg/m ²	3 x q
450 mm	445 kg	3 x F	1.570 kg/m ²	4 x q
600 mm	250 kg	4 x F	660 kg/m ²	5 x q
750 mm	159 kg	5 x F	340 kg/m ²	7 x q
900 mm	110 kg	6 x F	196 kg/m ²	8 x q
1.000 mm	90 kg	7 x F	143 kg/m ²	9 x q
1.200 mm	62 kg	8 x F	83 kg/m ²	10 x q


L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
4.007	1.007	11
4.000	1.220	11
3.660	1.220	11
3.007	1.007	11
1.985	996	11
996	996	11

B x L = ? →



ISO 25
13 x 13




300 mm	1.030 kg	2 x F	5.400 kg/m ²	3 x q
450 mm	450 kg	3 x F	1.610 kg/m ²	4 x q
600 mm	255 kg	4 x F	680 kg/m ²	5 x q
750 mm	163 kg	5 x F	346 kg/m ²	7 x q
900 mm	113 kg	6 x F	200 kg/m ²	8 x q
1.000 mm	91 kg	7 x F	146 kg/m ²	9 x q
1.200 mm	64 kg	8 x F	85 kg/m ²	10 x q


L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
4.000	1.220	13,5
1.985	996	13,5

B x L = ? →



ISO 25
90x18




300 mm	394 kg	2 x F	2.104 kg/m ²	3 x q
450 mm	174 kg	3 x F	619 kg/m ²	4 x q
600 mm	97 kg	4 x F	260 kg/m ²	5 x q
750 mm	62 kg	5 x F	133 kg/m ²	7 x q
900 mm	43 kg	6 x F	77 kg/m ²	8 x q
1.000 mm	35 kg	7 x F	56 kg/m ²	9 x q
1.200 mm	25 kg	8 x F	33 kg/m ²	10 x q


L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
3.660	1.220	13,8

B x L = ? →



ISO 25
76x76





300 mm	486 kg	2 x F	2.595 kg/m ²	3 x q
450 mm	214 kg	3 x F	763 kg/m ²	4 x q
600 mm	120 kg	4 x F	321 kg/m ²	5 x q
750 mm	77 kg	5 x F	164 kg/m ²	7 x q
900 mm	53 kg	6 x F	95 kg/m ²	8 x q
1.000 mm	43 kg	7 x F	69 kg/m ²	9 x q
1.200 mm	30 kg	8 x F	40 kg/m ²	10 x q

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
4.047	1.007	5,8

B x L = ? →



ISO 30




300 mm	1.740 kg	2 x F	9.300 kg/m ²	3 x q
450 mm	770 kg	3 x F	2.730 kg/m ²	4 x q
600 mm	430 kg	4 x F	1.150 kg/m ²	5 x q
750 mm	275 kg	5 x F	585 kg/m ²	7 x q
900 mm	191 kg	6 x F	340 kg/m ²	8 x q
1.000 mm	154 kg	7 x F	247 kg/m ²	9 x q
1.200 mm	107 kg	8 x F	143 kg/m ²	10 x q

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
4.007	1.007	13
4.000	1.524	13
3.660	1.220	13
3.050	1.524	13
3.007	1.007	13
2.440	1.220	13
1.985	996	13
996	996	13

B x L = ? →



ISO 30
14 x 14




300 mm	1.760 kg	2 x F	9.420 kg/m ²	3 x q
450 mm	780 kg	3 x F	2.774 kg/m ²	4 x q
600 mm	437 kg	4 x F	1.166 kg/m ²	5 x q
750 mm	279 kg	5 x F	595 kg/m ²	7 x q
900 mm	193 kg	6 x F	344 kg/m ²	8 x q
1.000 mm	156 kg	7 x F	250 kg/m ²	9 x q
1.200 mm	108 kg	8 x F	145 kg/m ²	10 x q

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
4.047	1.247	15
4.007	1.007	15
3.687	1.247	15
3.007	1.007	15
2.007	1.007	15

B x L = ? →



ISO 30
8 x 8




300 mm	1.989 kg	2 x F	10.610 kg/m ²	3 x q
450 mm	878 kg	3 x F	3.120 kg/m ²	4 x q
600 mm	492 kg	4 x F	1.310 kg/m ²	5 x q
750 mm	314 kg	5 x F	670 kg/m ²	7 x q
900 mm	218 kg	6 x F	386 kg/m ²	8 x q
1.000 mm	176 kg	7 x F	282 kg/m ²	9 x q
1.200 mm	122 kg	8 x F	163 kg/m ²	10 x q


L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
3.660	1.220	21
1.985	996	21

B x L = ? →



ISO 30
93x18




300 mm	741 kg	2 x F	3.952 kg/m ²	3 x q
450 mm	327 kg	3 x F	1.163 kg/m ²	4 x q
600 mm	183 kg	4 x F	489 kg/m ²	5 x q
750 mm	117 kg	5 x F	249 kg/m ²	7 x q
900 mm	81 kg	6 x F	144 kg/m ²	8 x q
1.000 mm	66 kg	7 x F	105 kg/m ²	9 x q
1.200 mm	46 kg	8 x F	61 kg/m ²	10 x q

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
3.007	1.007	15,6

B x L = ? →



ISO 30
SWL




300 mm	2.837 kg	2 x F	15.135 kg/m ²	3 x q
450 mm	1.252 kg	3 x F	4.453 kg/m ²	4 x q
600 mm	702 kg	4 x F	1.872 kg/m ²	5 x q
750 mm	448 kg	5 x F	956 kg/m ²	7 x q
900 mm	311 kg	6 x F	552 kg/m ²	8 x q
1.000 mm	251 kg	7 x F	402 kg/m ²	9 x q
1.200 mm	174 kg	8 x F	232 kg/m ²	10 x q
1.300 mm	149 kg	8 x F	183 kg/m ²	
1.400 mm	128 kg	8 x F	146 kg/m ²	
1.500 mm	112 kg	8 x F	119 kg/m ²	


L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
3.660	1.220	25

B x L = ? →



ISO 30
92 x 19






300 mm	830 kg	2 x F	4.426 kg/m ²	3 x q
450 mm	366 kg	3 x F	1.302 kg/m ²	4 x q
600 mm	205 kg	4 x F	547 kg/m ²	5 x q
750 mm	131 kg	5 x F	279 kg/m ²	7 x q
900 mm	91 kg	6 x F	161 kg/m ²	8 x q
1.000 mm	74 kg	7 x F	118 kg/m ²	9 x q
1.200 mm	51 kg	8 x F	68 kg/m ²	10 x q

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
3.007	1.007	13

B x L = ? →





ISO 35
SWL

300 mm	4.506 kg	2 x F	24.034 kg/m ²	3 x q
450 mm	1.989 kg	3 x F	7.072 kg/m ²	4 x q
600 mm	1.115 kg	4 x F	2.973 kg/m ²	5 x q
750 mm	712 kg	5 x F	1.519 kg/m ²	7 x q
900 mm	493 kg	6 x F	878 kg/m ²	8 x q
1.000 mm	399 kg	7 x F	639 kg/m ²	9 x q
1.200 mm	276 kg	8 x F	369 kg/m ²	10 x q
1.300 mm	236 kg	8 x F	290 kg/m ²	10 x q
1.400 mm	203 kg	8 x F	232 kg/m ²	10 x q
1.500 mm	177 kg	8 x F	189 kg/m ²	10 x q

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
3.660	1.220	29,4
B x L = ? →		




ISO 38

300 mm	3.500 kg	2 x F	18.600 kg/m ²	3 x q
450 mm	1.550 kg	3 x F	5.500 kg/m ²	4 x q
600 mm	870 kg	4 x F	2.340 kg/m ²	5 x q
750 mm	560 kg	5 x F	1.190 kg/m ²	7 x q
900 mm	387 kg	6 x F	690 kg/m ²	8 x q
1.000 mm	314 kg	7 x F	503 kg/m ²	9 x q
1.200 mm	218 kg	8 x F	290 kg/m ²	10 x q

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
4.007	1.007	18
4.000	1.524	18
3.050	1.524	18
3.660	1.220	18
3.007	1.007	18
2.440	1.220	18
1.985	996	18
996	996	18
B x L = ? →		




ISO 38
14 x 14




300 mm	3.570 kg	2 x F	19.042 kg/m ²	3 x q
450 mm	1.570 kg	3 x F	5.600 kg/m ²	4 x q
600 mm	880 kg	4 x F	2.350 kg/m ²	5 x q
750 mm	564 kg	5 x F	1.203 kg/m ²	7 x q
900 mm	391 kg	6 x F	695 kg/m ²	8 x q
1.000 mm	316 kg	7 x F	506 kg/m ²	9 x q
1.200 mm	219 kg	8 x F	292 kg/m ²	10 x q
L/125 = 0,75%				

L (mm)	B (mm)	kg/m ²
4.000	1.524	19,5
3.660	1.220	19,5
3.012	996	19,5
1.985	996	19,5
B x L = ? →		




ISO 38
98x17




300 mm	1.686 kg	2 x F	8.996 kg/m ²	3 x q
450 mm	744 kg	3 x F	2.647 kg/m ²	4 x q
600 mm	417 kg	4 x F	1.113 kg/m ²	5 x q
750 mm	266 kg	5 x F	568 kg/m ²	7 x q
900 mm	184 kg	6 x F	328 kg/m ²	8 x q
1000 mm	149 kg	7 x F	239 kg/m ²	9 x q
1200 mm	104 kg	8 x F	138 kg/m ²	10 x q
L/125 = 0,75%				

L (mm)	B (mm)	kg/m ²
3.660	1.220	22,5
B x L = ? →		



ISO 38
144x30




300 mm	1.073 kg	2 x F	5.725 kg/m ²	3 x q
450 mm	473 kg	3 x F	1.684 kg/m ²	4 x q
600 mm	265 kg	4 x F	708 kg/m ²	5 x q
750 mm	169 kg	5 x F	361 kg/m ²	7 x q
900 mm	117 kg	6 x F	209 kg/m ²	8 x q
1.000 mm	95 kg	7 x F	152 kg/m ²	9 x q
1.200 mm	66 kg	8 x F	88 kg/m ²	10 x q


L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
3.660	1.220	22,5

B x L = ? →



ISO 40
76 x 76




300 mm	1.993 kg	2 x F	10.629 kg/m ²	3 x q
450 mm	879 kg	3 x F	3.128 kg/m ²	4 x q
600 mm	493 kg	4 x F	1.310 kg/m ²	5 x q
750 mm	314 kg	5 x F	671 kg/m ²	7 x q
900 mm	218 kg	6 x F	388 kg/m ²	8 x q
1.000 mm	176 kg	7 x F	282 kg/m ²	9 x q
1.200 mm	123 kg	8 x F	163 kg/m ²	10 x q

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
3.000	1.000	9,5
2.000	1.000	9,5

B x L = ? →



ISO 50




300 mm	6.812 kg	2 x F	36.332 kg/m ²	3 x q
450 mm	3.007 kg	3 x F	10.691 kg/m ²	4 x q
600 mm	1.685 kg	4 x F	4.495 kg/m ²	5 x q
750 mm	1.076 kg	5 x F	2.296 kg/m ²	7 x q
900 mm	746 kg	6 x F	1.327 kg/m ²	8 x q
1.000 mm	604 kg	7 x F	966 kg/m ²	9 x q
1.200 mm	419 kg	8 x F	559 kg/m ²	10 x q
1.300 mm	356 kg	8 x F	439 kg/m ²	10 x q
1.400 mm	307 kg	8 x F	351 kg/m ²	10 x q
1.500 mm	268 kg	8 x F	285 kg/m ²	10 x q

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
5.035	1.220	21
3.660	1.220	21
1.990	1.020	21

B x L = ? →



ISO 50 SWL






300 mm	13.474 kg	2 x F	71.866 kg/m ²	3 x q
450 mm	5.948 kg	3 x F	21.148 kg/m ²	4 x q
600 mm	3.334 kg	4 x F	8.891 kg/m ²	5 x q
750 mm	2.129 kg	5 x F	4.543 kg/m ²	7 x q
900 mm	1.476 kg	6 x F	2.625 kg/m ²	8 x q
1.000 mm	1.195 kg	7 x F	1.912 kg/m ²	9 x q
1.200 mm	829 kg	8 x F	1.105 kg/m ²	10 x q
1.300 mm	706 kg	8 x F	869 kg/m ²	10 x q
1.400 mm	608 kg	8 x F	695 kg/m ²	10 x q
1.500 mm	530 kg	8 x F	565 kg/m ²	10 x q

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
4.000	1.220	41
1.985	996	41

B x L = ? →



300 mm	23.284 kg	2 x F	124.185 kg/m ²	3 x q
450 mm	10.278 kg	3 x F	36.545 kg/m ²	4 x q
600 mm	5.761 kg	4 x F	15.364 kg/m ²	5 x q
750 mm	3.679 kg	5 x F	7.850 kg/m ²	7 x q
900 mm	2.551 kg	6 x F	4.536 kg/m ²	8 x q
1.000 mm	2.065 kg	7 x F	3.305 kg/m ²	9 x q
1.200 mm	1.433 kg	8 x F	1.910 kg/m ²	10 x q
1.300 mm	1.220 kg	8 x F	1.502 kg/m ²	
1.400 mm	1.052 kg	8 x F	1.202 kg/m ²	
1.500 mm	916 kg	8 x F	977 kg/m ²	

L/125 = 0,75%

L (mm)	B (mm)	kg/m ²
4.000	1.220	48
1.985	996	48

B x L = ? →

